REPUBLIC OF BULGARIA
Executive agency
Bulgarian accreditation service

*Signatory to the EA Multilateral Agreement in this field*

**ORDER**

**№ A 192**

**Sofia, 13.06.2025**

Pursuant to Art. 10, para. 1, item 2a of the Law on National Accreditation of Conformity Assessment Bodies and EA BAS order reg. № A 191/13.06.2025, I hereby

**AMEND**

EA BAS order reg. № A 35/29.01.2025

**AGVISER AD**

**AGROCHEMICAL LABORATORY TESTING COMPLEX**

**Management and laboratory address:**
4006, Plovdiv, Iztochen Quarter, 53 Tsarigradsko Shosse Blvd.

**To perform testing of:**

| **Type of the scope:** *flexible for a part of the scope* | | | |
|---|---|---|---|
| **№** | **Tested products** | **Type of test / characteristic** | **Testing methods (standard/ validated method)** |
| 1 | 2 | 3 | 4 |
| 1. | Soils | 1.1. pH ($H_2O$) | БДС EN ISO 10390 |
| | | 1.2. Specific electrical conductivity | СД CEN/TS 15937 |
| | | 1.3. Dry substance | БДС EN 15934 |
| | | 1.4. Moisture content | |
| | | 1.5. Organic carbon | ВЛМ 003/2023<br>ISO 10694 |
| | | 1.6. Organic matter / | ВЛМ 003/2023<br>ISO 10694 |
| | | 1.7. Humus | ВЛМ 003/2023 |
| | | 1.8. Phosphorus - mobile/ | БДС ISO 11263 |
| | | 1.9. Exchangeable Phosphorus | |
| | | 1.10. Potassium - mobile | ВЛМ 001/2023 |
| | | 1.11. Water-soluble sulfates | ВЛМ 002/2023 |
| | | 1.12. Sulfur - Exchangeable | |
| | | 1.13. Total Kjeldahl Nitrogen | БДС EN 16169 |
| | | 1.14. Bulk density / | БДС EN ISO 11272, cl. 4.1 |
| | | 1.15. Soluble/ extractable/ digestible/ available/ exchangeable<br>Mobile forms of chemical elements: | БДС EN ISO 22036 |
| | | Calcium | |
| | | Magnesium | |
| | | Sodium | |
| | | Copper | |
| | | Iron | |
| | | Zinc | |

52 A "Dr. G. M. Dimitrov" Blvd. 1797 Sofia Bulgaria
phone: +359 2 9766 401; fax: +359 2 873 53 02
e-mail: office@nab-bas.bg; web: www.nab-bas.bg

| **Type of the scope:** *flexible for a part of the scope* | | | |
|---|---|---|---|
| **№** | **Tested products** | **Type of test / characteristic** | **Testing methods (standard/ validated method)** |
| 1 | 2 | 3 | 4 |
| | | Manganese | |
| | | Boron | |
| | | Molybdenum | |

**To perform sampling of:**

| **Type of the scope:** *flexible* | | |
|---|---|---|
| **№** | **Product** | **Sampling methods (standard/validated method)** |
| 1 | 2 | 3 |
| 1. | Soils | БДС ISO 18400-205<br>БДС EN ISO 11272, cl. 4.1.3 |

***Flexible Scope:*** *Implementing a new version of standards/documents or standards/ documents replacing them is allowed. An updated list of standards/documents and their dated versions is provided by CAB.*

**Fixed scope references:**
ВЛМ 001/2023-Soil quality - Determination of mobile Potassium;
ВЛМ 002/2023-Soil quality - Determination of water-soluble sulfates and exchangeable Sulfur;
ВЛМ 003/2023-Soil quality - Determination of organic Carbon and humus.

**ORDER**

To issue the certificate of accreditation reg. № 317 ЛИ of 13.06.2025, valid until 29.01.2029 and this order, as an integral part of it.

The certificate of accreditation with the enclosure should be obtained from the manager of AGVISER AD, the head of the Agrochemical Laboratory Testing Complex at AGVISER AD, or other authorized person in the office of EA BAS.

Upon receipt of the certificate and the enclosure issued, the accredited person is obliged to return to EA BAS the originals of accreditation certificate reg. № 317 ЛИ of 29.01.2025 and its enclosure – EA BAS order reg. № А 35/29.01.2025.

This order shall be notified to AGVISER AD, within 3 (three) days from its issuance.

**Eng. Irena Borislavova**

*Executive Director*
*of Executive agency Bulgarian accreditation service*