REPUBLIC OF BULGARIA
Executive agency
Bulgarian accreditation service

Signatory to the EA Multilateral Agreement in this field

ORDER

№ A 157

Sofia, 02.05.2025

Pursuant to art. 10, par. 1, item т. 3 and art. 30, par. 1 of the Law on National Accreditation of Conformity Assessment Bodies, and the relevant item 4.3.7 of the Accreditation Procedure BAS QR 2 in connection with an open procedure, reg. № 204/45 OKA/PO/16.08.2024, assessment report № 204/45 OKA/5/PO/15.11.2024 and Statement of the Accreditation Commission № 204/45 OKA/PO/2/B/23.04.2025, I hereby

EXTEND THE SCOPE OF ACCREDITATION of

Inspection Body of type A at Regional Health Inspectorate, town of Haskovo

Address of management: 6300 town of Haskovo, 2, Patriarh Evtimiy Str., post code 153
Address of office: 6400 town of Dimitrovgrad, 1, Panoramen Pat Str.

To perform inspection of:

Type of scope: *flexible for part of the scope**

№	Field of inspection	Type of inspection	Parameter of Inspection/ Characteristic	Test and Measurement Methods Used During Inspection, Inspection Procedure	Regulations, Standards, Specifications, Schemes
1	2	3	4	5	6
I.	WATER	new and/or products in use		Procedure OKA 7.1 PK 2 Water monitoring	
1.	Table-water: water intended for drinking household purposes		Coliform	БДС EN ISO 9308-1/A1 Procedure OKA 7.1 PK 2.2.1	Ordinance № 9 SG c.30/2001
			Escherichia coli	БДС EN ISO 9308-1/A1 Procedure OKA 7.1 PK 2.2.2	
			Number of stocks (microbic count) in 22°C and 37°C	БДС EN ISO 6222 ПРОЦЕДУРА OKA 7.1 ПК 2.2.3	
			Enterococci	БДС EN ISO 7899-2 Procedure OKA 7.1	

52 A "Dr. G. M. Dimitrov" Blvd. 1797 Sofia Bulgaria
phone: +359 2 9766 401; fax: +359 2 873 53 02
e-mail: office@nab-bas.bg; web: www.nab-bas.bg

				РК 2.2.4
			Clostridium perfringens	БДС EN ISO 14189 Procedure ОКА 7.1 РК 2.2.5
			Oxidisability	БДС 3413 Procedure ОКА 7.1 РК 2.1.1
			Chlorides	БДС 3414 Procedure ОКА 7.1 РК 2.1.2
			Total hardness	БДС ISO 6059 Procedure ОКА 7.1 РК 2.1.3
			Calcium	БДС ISO 6058 Procedure ОКА 7.1 РК 2.1.4
			Magnesium	БДС ISO 6059 Procedure ОКА 7.1 РК 2.1.5
			Ammonium ions	ВЛМ-NH_4-№1:2016** Procedure ОКА 7.1 РК 2.1.6
			Nitrates	ВЛМ-NO_3- № 2:2016** Procedure ОКА 7.1 РК 2.1.7
			Nitrites	ВЛМ-NO_2- № 3:2016** Procedure ОКА 7.1 РК 2.1.8
			Sulphates	ВЛМ-SO_4- № 4:2017** Procedure ОКА 7.1 РК 2.1,9
			Phosphates	ВЛМ-PO_4- № 5:2017** Procedure ОКА 7.1 РК 2.1.10
			Iron	ВЛМ-Fe – № 6:2016** Procedure ОКА 7.1 РК 2.1.11
			Manganese	ВЛМ-Mn – № 7:2016** Procedure ОКА 7.1 РК 2.1.12
			Fluorides	ВЛМ-F - № 8:2016** Procedure ОКА 7.1 РК 2.1.13
			Residual chlorine	ВЛМ-CL_2-№ 9:2016**

				Procedure OKA 7.1 PK 2.1.14	
			Aluminium	ВЛМ-Al- №10:2023** Procedure OKA 7.1 PK 2.1.18	
			Boron	ВЛМ-B- №11:2023** Procedure OKA 7.1 PK 2.1.19	
			Chromium	ВЛМ-Cr- №12:2023** Procedure OKA 7.1 PK 2.1.20	
			Copper	ВЛМ-Cu- №13:2024** Procedure OKA 7.1 PK 2.1.21	
			Cyanides	ВЛМ-CN^-- №14:2024** Procedure OKA 7.1 PK 2.1.22	
			Zinc	ВЛМ-Zn- №15:2024** Procedure OKA 7.1 PK 2.1.25	
			Colour	БДС 8451, p.2 БДС EN ISO 7887 Method C and D Procedure OKA 7.1 PK 2.1.23	
			Turbidity	БДС EN ISO 7027-1 Procedure OKA 7.1 PK 2.1.24	
			PH/active reaction	БДС 3424 Procedure OKA 7.1 PK 2.1.15	
			Electrical conductivity	БДС EN 27888 Procedure OKA 7.1 PK 2.1.16	
2.	Mineral waters: mineral waters from water sources, intended for bottled, table mineral waters, and those for the production of Non-alcoholic drinks Bottled natural, mineral, spring, and table waters for drinking purposes		Total number of mesophyll aerobes microorganisms: in the water source - In 20°C+2 °C for 72 hours - In 37°C+1 °C for 24 hours Colonies total number of viable microorganisms after bottling: - In 20°C to 22 °C for 72 hours - In 37°C for 24 hours	БДС EN ISO 6222 Procedure OKA 7.1 PK 2.2.3	Ordinance №14 SG c.79/1987 Ordinance PMS №178 SG c.68/2004

			Coliforms in 37°C Coliforms in 37°C and 44,5°C	БДС EN ISO 9308-1/A1 Procedure OKA 7.1 РК 2.2.1	
			Escherichia coli in 43°C Escherichia coli in 37°and 44,5°C	БДС EN ISO 9308-1/A1 Procedure OKA 7.1 РК 2.2.2	
			Enterococci/ fecal streptococci	БДС EN ISO 7899-2 Procedure OKA 7.1 РК 2.2.4	
			Sulphite reducing clostridia spore-forming Sulphite reducing anaerobic bacteria	БДС EN ISO 14189 Procedure OKA 7.1 РК 2.2.5	
			Pseudomonas aeruginosa	БДС EN ISO 16266 Procedure OKA 7.1 РК 2.2.6	
3.	Water from swimming pools		Microbial count in 1,0ml	БДС 17335 Procedure OKA 7.1 РК 2.2.7	Instruction № 34, SG c.82/1975, amended SG c.18/1984 amended SG c.25/2002
			Total coli titer	БДС 17335 Procedure OKA 7.1 РК 2.2.8	
			Escherichia coli-titer	БДС 17335 Procedure OKA 7.1 РК 2.2.9	
			Staphylococcus titer	БДС 17335 Procedure OKA 7.1 РК 2.2.10	
			Enterococcus titer	БДС 17335 Procedure OKA 7.1 РК 2.2.11	
			Pseudomonas Aeruginosa	БДС 17335 Procedure OKA 7.1 РК 2.2.1	
			Nitrites	ВЛМ-NO_2- № 3:2016** Procedure OKA 7.1 РК 2.1.8	
			Ammonium ions	ВЛМ-NH_4-№1:2016** Procedure OKA 7.1 РК 2.1.6	
			Iron	ВЛМ-Fe – № 6:2016** Procedure OKA 7.1 РК 2.1.11	
			Manganese	ВЛМ-Mn – № 7:2016** Procedure OKA 7.1 РК 2.1.12	

			Residual active chlorine: free; total Oxidisability Transparency by Snelen PH/active reaction Colour	ВЛМ-CL_2- № 9:2016** Procedure OKA 7.1 PK 2.1.14 БДС 3413 Procedure OKA 7.1 PK 2.1.1 БДС 8451 Procedure OKA 7.1 PK 2.1.17 БДС EN ISO 10523 ПРОЦЕДУРА Procedure OKA 7.1 PK 2.1.15 БДС 8451, т.2; БДС EN ISO 7887 Procedure OKA 7.1 PK 2.1	
II.	Cosmetic products	new and/or products in use		Procedure OKA 7.1 PK 3 Control of the cosmetic products	
			Total number of microorganisms Yeast and moulds S. aureus P. aeruginosa E. Coli C. albicans	БДС EN ISO 21149/A1 Procedure OKA 7.1 PK 3.1 БДС EN ISO 16212/A1 Procedure OKA 7.1 PK 3.2 БДС EN ISO 22718/A1 Procedure OKA 7.1 PK 3.3 БДС EN ISO 22717/A1 Procedure OKA 7.1 PK 3.4 БДС EN ISO 21150/A1 Procedure OKA 7.1 PK 3.5 БДС EN ISO 18416/A1 Procedure OKA 7.1 PK 3.6	TS/TD БДС EN ISO 17516
III.	Environmental factors	of new and in exploitation objects/equipment			
1.	Microclimate conditions in the work and living environment			Procedure OKA 7.1 PK 4 Control of environmental factors. Microclimate	

			Air temperature, Relative humidity of the air, Speed of air movement	БДС 16686 Ordinance РД-07-3 SG c.63/2014	БДС 14776 Ordinance № 9 SG c.46/1994 Ordinance № 2 SG c.15/2007 Ordinance № 24 SG c.95/2003 Ordinance № 3 SG c.15/2007 Ordinance № 26 SG c.103/2008 Ordinance № РД-07-3 SG c.63/2014
2.	Artificial light in the work and living environment			Procedure ОКА 7.1 РК 5 Control of environmental factors. Lightning	
			Lightness	Methodological instructions for the measurement and evaluation of artificial lighting in buildings 40-85, issued by Standardization, 1985	БДС EN 12464-1 Ordinance № 49 SG c.7/1976 Ordinance № 9 SG c.46/1994 Instruction № 34 SG c.85/ 1975 Ordinance № 3 SG c.15/2007 Ordinance № 2 SG c.15/2007 Ordinance № 24 SG c.95/2003 Ordinance № 26 SG c.103/2008
3.	NOISE			Procedure ОКА 7.1 РК 6 Control of environmental factors. Noise	
3.1	Noise in the work environment		1. Noise level 2. Equivalent Noise level 3. Daily level of Noise in exploitation 4. Average weekly level of Noise in exploitation 5. Peak level of Noise pressure	БДС 15471 БДС EN ISO 9612 (БДС ISO 1999)	Ordinance № 7 (SG c.88/1999) Ordinance № 9 (SG c.46/1994) Ordinance № 26 (SG c.103/ 2008) Ordinance № 6 SG c.70/2005
3.2	Noise in the surrounding environment		Equivalent level of noise	БДС 15471 Ordinance № 6 SG c.58/2006	Ordinance № 54 (SG c.3/2011) Ordinance № 6 (SG c.58/2006) Annex №2 Table 2 (SG c.58/ 2006)
3.3	Noise in the premises of residential and public buildings		Equivalent level of noise, Noise level	БДС 15471	Ordinance № 9 (SG c.46/1994) Ordinance № 6 Annex 2 Table 1 (SG c.58/2006) Ordinance № 2

					(SG c.15/2007) Ordinance № 24 (SG c.95/2003) Ordinance № 26 (SG c.103/ 2008) Ordinance № 6 (SG c.16/1977)

Reference:

***Flexible scope:** *The introduction of a new version of standards/documents or standards/documents that replace them is allowed. An up-to-date list of standards/documents with their dated versions is provided by the Conformity Assessment Body (CAB).*

Ordinance № 9 on the quality of water intended for drinking and household purposes (SG, c.30/2001);
Ordinance № 14 on resort resources, resort areas and resorts (SG, c.79/1987);
Ordinance on the requirements for bottled natural mineral, spring, and table water intended for drinking purposes, adopted by DECREE № 178 of 23 July 2004 (SG, c.68/03.08.2004);
Ordinance № 9 on health and hygiene requirements for the use of personal computers in the training and extracurricular activities of students (SG, c.46/1994);
Ordinance № 2 on health requirements for computer and internet centres for public use (SG, c.15/2007);
Ordinance № 24 on sanitary and hygienic requirements for disco clubs (SG, c.95/2003);
Ordinance № 3 on health requirements for kindergartens (SG, c.15/2007);
Ordinance № 26 on the planning and activity of crèches and children's kitchens and health requirements thereon (promulgated, SG, c.103/2008);
Ordinance № РД-07-3 on minimum requirements for microclimate of workplaces (SG, c. 63/2014);
Ordinance № 49 on artificial lighting of buildings (SG, c. 7/1976);
Methodical instructions for measurements and evaluation of artificial lighting in buildings 40-85, "collection of methods" NCHMEH, vol. IV, standardization publ., 1985;
Ordinance № 7 on minimum requirements for health and safety conditions at work and when using work equipment (SG, c. 88/1999);
Ordinance № 6 on minimum requirements for ensuring the health and safety of workers in the case of risks related to Noise exposure (SG, c.70/2005);
Ordinance № 6 on environmental Noise indicators taking into account the degree of discomfort during different parts of the twenty-four-hour period, the limit values of environmental Noise indicators in the premises of residential and public buildings, in areas and territories intended for housing construction, recreational zones and territories and zones with mixed purpose, the methods for assessing the values of Noise indicators and the harmful effects of Noise on the health of the population (SG, c. 58/2006);
Ordinance № 54 on the activity of the national system for monitoring the environmental Noise and on the requirements for conducting its monitoring and provision of information from industrial sources of Noise in the environment (SG, c. 3/2011);
Ordinance № 6 for ensuring a Normal acoustic environment in residential and public buildings and places (SG, c. 16/1977);
Instruction № 34 on the hygiene of sports facilities and equipment (SG, c. 82/1975);
TS - technical specification;
TD - technical documentation.

**** Fixed scope:**

VLM- NH_4-№ 1:2016 – photometrical method for evaluation of contents of ammonia in water with test-set
VLM- NO_3-№ 2:2016– photometrical method for evaluation of contents of nitrates in water with test-set
VLM- NO_2-№ 3:2016– photometrical method for evaluation of contents of nitrites in water with test-set
VLM- SO_4-№ 4:2017– photometrical method for evaluation of contents of sulphates in water with test-set

VLM- PO_4-№ 5:2017– photometrical method for evaluation of contents of phosphates in water with test-set
VLM- Fe-№ 6:2016– photometrical method for evaluation of contents of iron in water with test-set
VLM- Mn-№ 7:2016– photometrical method for evaluation of contents of manganese in water with test-set
VLM- F-№ 8:2016– photometrical method for evaluation of contents of fluorides in water with test-set
VLM- CL_2-№ 9:2016– photometric method for evaluation of contents of residual chlorine in water with test-set
VLM- AI-№ 10:2023– photometrical method for evaluation of contents of aluminium in water with test set
VLM- B-№ 11:2023– photometric method for evaluation of contents of boron in water with a test set
VLM- Cr-№ 12:2023– photometric method for evaluation of contents of chromium in water with a test set
VLM- Cu-№ 13:2024– photometric method for evaluation of contents of copper in water with a test set
VLM- CN-№ 14:2024– photometric method for evaluation of contents of cyanides in water with a test set
VLM- Zn-№ 15:2024– photometric method for evaluation of contents of zinc in water with a test set.

I ORDER

To issue the Certificate of Accreditation reg. № 45 OKA/02.05.2025, valid until 15.08.2026 and this order enclosed as an integral part thereof.

The certificate of accreditation with the enclosure should be obtained from Director of Regional Health Inspectorate, town of Haskovo, the Head of Inspection Body of Type A at Regional Health Inspectorate, town of Haskovo or other authorized person in the office of EA BAS.

Upon receipt of the certificate issued and enclosure, the accredited person is obligate to return to EA BAS the originals of Certificate of Accreditation reg. № 45 OKA/15.08.2022, and the enclosure Order № A 507/15.08.2022 of EA BAS.

This order shall be notified the Regional Health Inspectorate, town of Haskovo within 3 (three) days from its issuance.

EXECUTIVE AGENCY "BULGARIAN ACCREDITATION SERVICE" REPUBLIC OF BULGARIA

Eng. Irena Borislavova
Executive Director
of Executive agency Bulgarian accreditation service