Republic of Bulgaria
Executive Agency
Bulgarian Accreditation Service

Signatory to the EA Multilateral Agreement in this fied

ORDER

№ A 429
Sofia, 08.07.2022

Pursuant to Art. 10, para. 1, item 2a of the Law on National Accreditation of Conformity Assessment Bodies, in connection with tem 5.3.1 of the BAS QR 2 Accreditation Procedure, report BAS QF 2.9.5.5 reg. № 187/31 OKA/9/B/24.06.2022 and EA BAS order reg. № A 428/08.07.2022, I hereby

AMEND

EA BAS order reg. № A 96/09.02.2022
of Inspection Body of type A
at Regional Health Inspectorate, Kardzhali

Management and office address:
6600 Kardzhali, Residential area Baykal, 2 Gen. Vladimir Stoychev Str.

To perform inspection of:

Type of the scope: *flexible* *

№	Field of Inspection	Type of Inspection	Parameter of Inspection / Characteristic	Test and Measurement Methods Used During Inspection, Inspection Procedure	Regulations, Standards, Specifications, Schemes
1	2	3	4	5	6
1.	Microclimate in the working and living environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Air temperature; Relative air humidity; Air velocity.	БДС 16686 Ordinance РД-07 3, SG № 63/2014 Inspection procedure ОКА 7.1 ПК 1	Ordinance № 2, SG № 15/2007 Ordinance № 3, SG № 15/2007 Ordinance № 9, SG № 46/1994 Ordinance № 24, G № 95/2003 Ordinance РД-07-3, SG № 64/2015 БДС 14776 TS
2.	Artificial lightning in the working and living environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Illumination	Methodology for measuring the artificial lighting of buildings. Collection of methods of the National Center for Hygiene, Medical Ecology and Nutrition, Vol. 4, 2002	Ordinance № 2, SG № 15/2007 Ordinance № 3, SG № 15/2007 Ordinance № 9, SG № 46/1994 Ordinance № 24, SG № 95/2003 Ordinance 49, SG № 7/1976 БДС 12464-1

1797 Sofia, Dr. G.M. Dimitrov Blvd. 52 A, floor 7
Tel. 02 976 6401, Fax: 02 976 6415
e-mail: office@nab-bas.bg

Type of the scope: *flexible* *					
№	**Field of Inspection**	**Type of Inspection**	**Parameter of Inspection / Characteristic**	**Test and Measurement Methods Used During Inspection, Inspection Procedure**	**Regulations, Standards, Specifications, Schemes**
1	2	3	4	5	6
				Inspection procedure ОКА 7.1 ПК 2	TS
3.	Noise in the working environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Daily level of noise exposure; Average weekly level of noise exposure Peak level of noise pressure. Equivalent noise level; Noise level.	БДС EN ISO 9612 (БДС ISO 1999) БДС 15471 Inspection procedure ОКА 7.1 ПК 3	Ordinance № 6, SG №70/2005 Ordinance № 9, SG № 46/1994 TS
4.	Noise in the premises of residential and public buildings	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Equivalent noise level; Noise level.	БДС 15471 Inspection procedure ОКА 7.1 ПК 6	Ordinance № 6, Appendix 2, Table 1, SG № 58/2006 Ordinance № 6, SG № 16/1977 Ordinance № 9, SG № 46/1944 TS
5.	Noise in the environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Equivalent noise level	БДС 15471 Inspection procedure ОКА 7.1 ПК 6	Ordinance № 6, Appendix 2, Table 2, SG № 58/2006 TS
6.	Vibrations transmitted to the arm-shoulder system	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Daily value of expose to vibrations.	БДС EN ISO 5349-2 БДС EN ISO 5349-1 Inspection procedure ОКА 7.1 ПК 4	Ordinance № 3, SG № 40/2005 TS
7.	Ventilation installations	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Velocity of air current; Air debit	БДС 12.3.018 Inspection procedure ОКА 7.1 ПК 5	Ordinance № 15, SG № 68/2005 TS

***Flexible scope:** *Implementing a new version of standards/documents or standards/documents replacing them is allowed. An updated list of standards/documents and their dated versions is provided by CAB.*

References:

Ordinance № 2 - on health requirements for computer and internet room for public use (SG № 15/2007);
Ordinance № 3 - on health requirements for kindergartens (SG № 15/2007);
Ordinance № 24 - on sanitary and hygienic requirements for discotheques (SG № 95/2003);
Ordinance № 9 - on sanitary and hygienic requirements for personal computer use in curricular and extracurricular activities of students (SG № 46/1994);
Ordinance № РД-07-3 - on the minimal requirements for microclimate at workplaces (SG № 63/2014);
Ordinance № 49 - on the artificial lightning of buildings (SG № 7/1976);
Ordinance № 6 - on the minimal requirements for securing the health and safety of people working at risks related to exposure to noise (SG № 70/2005);

Ordinance № 6 - on the indicators of noise in the environment, identifying the level of discomfort during different parts of the day, the threshold values of the indicators of noise in the environment, the methods for assessment of the values of indicators of noise in the environment and of the damaging effects on public health (SG № 58/2006);
Ordinance № 6 - on providing normal acoustic environment at residential and public buildings and places (SG № 16/1977);
Ordinance № 3 - on the minimal requirements for securing the health and safety of people working at risks related to exposure to vibrations (SG № 40/2005);
Ordinance № 15 - on the technical guidelines and regulations for design, construction and operation of sites and facilities for production, transmission and distribution of heat energy (SG № 68/2005);
TS - technical specification of the client.

I ORDER

To issue the Certificate of accreditation reg. № 31 OKA/08.07.2022, valid until 09.02.2026 and this order as an integral part of it.

The Certificate of accreditation with the enclosure should be obtained from the director of the Regional Health Inspectorate, Kardzhali, head of the Inspection body of type A at Regional Health Inspectorate, Kardzhali, or other authorized person in the office of EA BAS.

Upon receipt of the certificate issued and enclosure, the accredited CAB is obliged to return to EA BAS the originals of the certificate of accreditation reg. № 31 OKA/09.02.2022, valid until 09.02.2026 and its enclosure EA BAS order № A 96/09.02.2022.

This order shall be notified to Regional Health Inspectorate, Kardzhali, within 3 (three) days from its issuance.

Eng. Irena Borislavova

Executive Director of EA BAS

Republic of Bulgaria
Executive Agency
Bulgarian Accreditation Service

Signatory to the EA Multilateral Agreement in this fied

BAS QF 2.11

ORDER

№ A 429
Sofia, 08.07.2022

Pursuant to Art. 10, para. 1, item 2a of the Law on National Accreditation of Conformity Assessment Bodies, in connection with tem 5.3.1 of the BAS QR 2 Accreditation Procedure, report BAS QF 2.9.5.5 reg. № 187/31 OKA/9/B/24.06.2022 and EA BAS order reg. № A 428/08.07.2022, I hereby

AMEND

EA BAS order reg. № A 96/09.02.2022
of Inspection Body of type A
at Regional Health Inspectorate, Kardzhali

Management and office address:
6600 Kardzhali, Residential area Baykal, 2 Gen. Vladimir Stoychev Str.

To perform inspection of:

Type of the scope: *flexible* *

№	Field of Inspection	Type of Inspection	Parameter of Inspection / Characteristic	Test and Measurement Methods Used During Inspection, Inspection Procedure	Regulations, Standards, Specifications, Schemes
1	2	3	4	5	6
1.	Microclimate in the working and living environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Air temperature; Relative air humidity; Air velocity.	БДС 16686 Ordinance РД-07 3, SG № 63/2014 Inspection procedure ОКА 7.1 ПК 1	Ordinance № 2, SG № 15/2007 Ordinance № 3, SG № 15/2007 Ordinance № 9, SG № 46/1994 Ordinance № 24, G № 95/2003 Ordinance РД-07-3, SG № 64/2015 БДС 14776 TS
2.	Artificial lightning in the working and living environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Illumination	Methodology for measuring the artificial lighting of buildings. Collection of methods of the National Center for Hygiene, Medical Ecology and Nutrition, Vol. 4, 2002	Ordinance № 2, SG № 15/2007 Ordinance № 3, SG № 15/2007 Ordinance № 9, SG № 46/1994 Ordinance № 24, SG № 95/2003 Ordinance 49, SG № 7/1976 БДС 12464-1

1797 Sofia, Dr. G.M. Dimitrov Blvd. 52 A, floor 7
Tel. 02 976 6401, Fax: 02 976 6415
e-mail: office@nab-bas.bg

Type of the scope: *flexible* *					
№	**Field of Inspection**	**Type of Inspection**	**Parameter of Inspection / Characteristic**	**Test and Measurement Methods Used During Inspection, Inspection Procedure**	**Regulations, Standards, Specifications, Schemes**
1	2	3	4	5	6
				Inspection procedure ОКА 7.1 ПК 2	TS
3.	Noise in the working environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Daily level of noise exposure; Average weekly level of noise exposure Peak level of noise pressure. Equivalent noise level; Noise level.	БДС EN ISO 9612 (БДС ISO 1999) БДС 15471 Inspection procedure ОКА 7.1 ПК 3	Ordinance № 6, SG №70/2005 Ordinance № 9, SG № 46/1994 TS
4.	Noise in the premises of residential and public buildings	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Equivalent noise level; Noise level.	БДС 15471 Inspection procedure ОКА 7.1 ПК 6	Ordinance № 6, Appendix 2, Table 1, SG № 58/2006 Ordinance № 6, SG № 16/1977 Ordinance № 9, SG № 46/1944 TS
5.	Noise in the environment	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Equivalent noise level	БДС 15471 Inspection procedure ОКА 7.1 ПК 6	Ordinance № 6, Appendix 2, Table 2, SG № 58/2006 TS
6.	Vibrations transmitted to the arm-shoulder system	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Daily value of expose to vibrations.	БДС EN ISO 5349-2 БДС EN ISO 5349-1 Inspection procedure ОКА 7.1 ПК 4	Ordinance № 3, SG № 40/2005 TS
7.	Ventilation installations	Initial and/or periodic of new sites/facilities or sites/facilities in use/in operation	Velocity of air current; Air debit	БДС 12.3.018 Inspection procedure ОКА 7.1 ПК 5	Ordinance № 15, SG № 68/2005 TS

***Flexible scope:** *Implementing a new version of standards/documents or standards/documents replacing them is allowed. An updated list of standards/documents and their dated versions is provided by CAB.*

References:

Ordinance № 2 - on health requirements for computer and internet room for public use (SG № 15/2007);
Ordinance № 3 - on health requirements for kindergartens (SG № 15/2007);
Ordinance № 24 - on sanitary and hygienic requirements for discotheques (SG № 95/2003);
Ordinance № 9 - on sanitary and hygienic requirements for personal computer use in curricular and extracurricular activities of students (SG № 46/1994);
Ordinance № РД-07-3 - on the minimal requirements for microclimate at workplaces (SG № 63/2014);
Ordinance № 49 - on the artificial lightning of buildings (SG № 7/1976);
Ordinance № 6 - on the minimal requirements for securing the health and safety of people working at risks related to exposure to noise (SG № 70/2005);

Ordinance № 6 - on the indicators of noise in the environment, identifying the level of discomfort during different parts of the day, the threshold values of the indicators of noise in the environment, the methods for assessment of the values of indicators of noise in the environment and of the damaging effects on public health (SG № 58/2006);
Ordinance № 6 - on providing normal acoustic environment at residential and public buildings and places (SG № 16/1977);
Ordinance № 3 - on the minimal requirements for securing the health and safety of people working at risks related to exposure to vibrations (SG № 40/2005);
Ordinance № 15 - on the technical guidelines and regulations for design, construction and operation of sites and facilities for production, transmission and distribution of heat energy (SG № 68/2005);
TS - technical specification of the client.

I ORDER

To issue the Certificate of accreditation reg. № 31 ОКА/08.07.2022, valid until 09.02.2026 and this order as an integral part of it.

The Certificate of accreditation with the enclosure should be obtained from the director of the Regional Health Inspectorate, Kardzhali, head of the Inspection body of type A at Regional Health Inspectorate, Kardzhali, or other authorized person in the office of EA BAS.

Upon receipt of the certificate issued and enclosure, the accredited CAB is obliged to return to EA BAS the originals of the certificate of accreditation reg. № 31 ОКА/09.02.2022, valid until 09.02.2026 and its enclosure EA BAS order № А 96/09.02.2022.

This order shall be notified to Regional Health Inspectorate, Kardzhali, within 3 (three) days from its issuance.

Eng. Irena Borislavova

Executive Director of EA BAS

Съгласувал: .....2022г., Ал Радовски, ЗИД на ИА БСА
Съгласувал: .....2022г., М. Генкова, началник отдел АЛ
Изготвил: 12.07.2022г., Д, Димитров ст.инспектор, отдел АЛ