



ORDER

№ A 433
Sofia, 13.07.2022

Pursuant to Art. 10, para. 1, item 4, Art. 28, para. 1 of the Law on National Accreditation of Conformity Assessment Bodies and item 6 of BAS QR 2 Accreditation Procedure, in connection with open procedure reg. № 254/240 ЛИ/ПА/18.11.2021, assessment report reg. № 254/240 ЛИ/ПА/4/В/03.06.2022 and Statement of the Accreditation Commission reg. № 254/240 ЛИ/ПА/5/В/06.07.2022, I hereby

RE-ACCREDIT

SVILOCELL EAD
Testing Laboratory

Management address: 5250 Svishtov, West Industrial Area
Laboratory address: 5250 Svishtov, West Industrial Area, Voden Blok, floor 2

To perform testing of:

Type of the scope: <i>Fixed</i>			
№	Tested products	Type of test / characteristic	Testing methods (standard / validated method)
1	2	3	4
1.	Waste water	1.1. Active reaction (pH)	БДС EN ISO 10523:2012
		1.2. Suspended substances / undissolved substances	БДС EN 872:2006
		1.3. Chemical Oxygen Demand (COD)	VLM № 01:2016
		1.4. Biochemical Oxygen Demand (BOD 5)	БДС EN ISO 5815-1:2019
		1.5. Total Phosphorus	VLM № 02:2016
		1.6. Total Nitrogen	VLM № 03:2016

To perform sampling of:

Type of the scope: <i>Fixed</i>		
№	Product	Methods of sampling/ extracting (standardized/ validated)
1	2	3
1.	Waste water	БДС ISO 5667-10:2020

References:

VLM № 01:2016 Spectrophotometric method for determination of the Chemical Oxygen Demand (COD) in Waste water

VLM № 02:2016 Spectrophotometric method for determination of the total Phosphorus in Waste water

VLM № 03:2016 Spectrophotometric method for determination of the total Nitrogen in Waste water

I ORDER

To issue the Certificate of accreditation reg. № 240 ЛИ/13.07.2022, valid until 13.07.2026 and this order as an integral part of it.

The Certificate of accreditation with the enclosure to be received at the office of EA BAS by the Manager / representative of the SVILOCELL EAD, the head of Testing Laboratory, at SVILOCELL EAD, or other authorized person in the office of EA BAS.

Upon receipt of the certificate and the enclosure issued, the accredited person is obliged to return to EA BAS the originals of accreditation certificate № 240 ЛИ /26.05.2021, valid until 13.07.2022 and its enclosure – EA BAS order reg. № A 320/26.05.2021.

This order shall be notified to SVILOCELL EAD within 3 (three) days from its issuance.

Eng. Irena Borislavova

Executive Director of EA BAS