



ORDER

№ A 549

Sofia, 07.09.2022

Pursuant to Art. 10, para. 1, item 2a and Art. 32, item 2 of the Law on National Accreditation of Conformity Assessment Bodies, item 7 (1) and item 5.3.1, in connection with amendment of an element of the certificate content, according to item 4.3.8. f) of the BAS QR 2 Accreditation Procedure, an open procedure reg. № 498/220 ЛИ/ПО/20.07.2022, report of extraordinary assessment of documents, reg. № 498/220 ЛИ/ПО/3/В/10.08.2022 and EA BAS order reg. № A 548/07.09.2022, I hereby

AMEND

EA BAS order, reg. № A 239/31.03.2022,

Coal testing laboratory at TPP Maritsa East 2 EAD

Management and Laboratory address: 6265, Kovachevo, Stara Zagora Region

To perform testing of:

Type of the scope: <i>Flexible</i>			
№	Tested products	Type of test / characteristic	Testing methods (standard / validated method)
1	2	3	4
1.	Lignite /1/ Brown coal /2/	1.1 Ash - of dry condition /1,2/ - of operational condition /1,2/	БДС ISO 1171 БДС ISO 1170
		1.2 Total moisture /1,2/	БДС ISO 5068-1
		1.3 Moisture in a sample for analysis /1,2/	БДС ISO 5068-2
		1.4 High calorific value - of dry condition /1,2/ - of operational condition /1,2/	БДС ISO 1928
		1.4 Low calorific value - of dry condition /1,2/ - of operational condition /1,2/	БДС ISO 1928
		1.6 Volatile Matter - of dry condition /1,2/ - of dry ashless conditionh /1,2/	БДС ISO 5071-1 БДС ISO 1170
		1.7 Total sulfur - of dry condition /1,2/ - of operational condition /12/	БДС ISO 334 БДС ISO 1170

Flexible scope: *Implementing a new version of standards/documents or standards / documents replacing them is allowed. An updated list of standards/documents and their dated versions is provided by laboratory.*

I ORDER

To issue the Certificate of accreditation reg. № 220 ЛИ/07.09.2022, valid until 31.03.2026, and this order as an integral part of it.

The Certificate of accreditation with the enclosure to be received at the office of EA BAS by the director of TPP Maritsa East 2 EAD, the head of the Coal testing laboratory at TPP Maritsa East 2 EAD, or other authorized person in the office of EA BAS.

Upon receipt of the certificate and the enclosure issued, the accredited person is obliged to return to EA BAS the originals of accreditation certificate № 220 ЛИ/31.03.2022, valid until 31.03.2026 and an enclosure, EA BAS order reg. № A 239/31.03.2022 as an integral part of it.

This order shall be notified to the TPP Maritsa East 2 EAD, within 3 (three) days from its issuance

Eng. Irena Borislavova

Executive Director of EA BAS

